

- +91-98250 83308
- manish.patel@jainishindustries.com
- less www.jainishindustries.com

# **MATERIAL SAFETY DATA SHEET**

# **KETONE RESIN**

## **Identification of Substance: Product Details**

Product Code	JK-100
Product Name	<b>KETONIC RESIN JK-100</b>
Product CAS no.	Proprietary
Manufacturer's Name	<b>JAINISH INDUSTRIES</b> Shed #C1/B-715, Road #07, GIDC – Sarigam, Dist. Valsad – 396155, Gujarat, India.
Informing department	Q.A. Office
<b>Emergency Information</b>	During Office hours

## **Composition/data On Components: Chemical Characterization**

Description KETONIC RESIN

## **Dangerous Components**

This product is not considered hazardous as defined by 29 CFR 1910.1200 and under the provisions of the Superfund Amendments and Reauthorization Act Title III, Section 311 and 312. However, dusting may occur under certain use conditions and nuisance dusts are regulated in 29 CFR 1910.1200, Table Z-1-A.

## **Hazards Identification: Potential Health Effects**

Eyes	Dust may cause mild eye irritation
Skin	May cause mild irritation in the form of redness, or dermatitis On Hypersensitive individuals after prolonged contact
Ingestion	My cause abdominal discomfort, nausea, vomiting and diarrhea, if swallowed
Inhalation	Not considered a respiratory hazard under normal use conditions, however dusting may cause minor irritation to mucous membranes in some individuals. Avoid breathing dusts whenever possible
Chronic	None Known



- Shed #C1/B-715, Road #07, GIDC Sarigam, Dist. Valsad - 396155, Gujarat, India
- 🕕 +91-98250 83308
- 💿 manish.patel@jainishindustries.com
- www.jainishindustries.com

# First Aid MeasuresAfter Eye contactRinse opened eye for several minutes under running waterAfter Skin contactInstantly wash with water and soap and rinse thoroughlyAfter inhalationSupply fresh air; consult doctor in case of symptomsAfter swallowingIn case of persistent symptoms consult doctor

## **Fire Fighting Measures**

Flash Point	> 149°C (300°F)
Extinguishing Media	Carbon Dioxide, Dry Chemical, Foam and Water Spray
Explosion Hazards	As with most organic solids, if a high concentration of dust is suspended in air, as explosion hazard may exist
Hazardous Combustion Products	Oxides of carbon and noxious fumes
Fire Fighting Equipment	Wear full protective equipment and a NIOSH-approved Self- contained Breathing Apparatus with full face piece operated in the pressure demand mode. For small outdoor fires, which may be extinguishable with a portable fire extinguisher, use of a SCBA may not be required.
Hazardous Decomposition Products	Hazardous Polymerization will not occur

## **Accidental Release Measures**

**Comments:** Collect large spills with a shovel, vacuum or broom and salvage if possible. Material should not be permitted to enter into public drainage systems or waterways. Do not flush down sanitary sewer drains. Clean area with suitable detergent solution.

## Handling & Storage

Handling	Use appropriate personal protective equipment as specified in Section 8. Handle in a well-ventilated area. Containers should be re- closed after use.
Storage	Store in unopened containers under cool and dry conditions. Keep away from heat, sparks and open flames. Avoid contact with strong oxidizers.



- Shed #C1/B-715, Road #07, GIDC Sarigam, Dist. Valsad - 396155, Gujarat, India
- +91-98250 83308
- manish.patel@jainishindustries.com
- 🚳 www.jainishindustries.com

## **Exposure Controls & Personal Protection**

#### Storage

Store in unopened containers under cool and dry conditions. Keep away from heat, sparks and open flames. Avoid contact with strong oxidizers.

## **Personal Protective Equipment**

The usual precautionary measures should be adhered to general rules for handling chemicals.

Breathing equipment	Not required
Protection of hands	Protective gloves and protective skin cream
Eye protection	Safety glasses recommended during refilling

## **Physical and Chemical Properties**

Form	Solid
Color	Pale Yellow
Odor	Slight
VISCOSITY By FC B4 @ 30°c (50% in Ind. Ethanol)	19 – 21 Sec
MELTING POINT /Range	92 C -102 C
Flash Point	>149°C
Self-inflammability	Product is not self-igniting
Danger of Explosion	Product is not explosive
Solubility in / Miscibility with water	Negligible
Specific Gravity	>1 (water=1)
VOC	Not Applicable
Percentage Volatile	Negligible

## **Stability and Reactivity**

Stability	Stable
Hazardous Polymerization	Will not occur
Conditions to avoid	Heat, Open Flame or other sources of ignition



Shed #C1/B-715, Road #07, GIDC - Sarigam, Dist. Valsad - 396155, Gujarat, India

- 🕕 +91-98250 83308
- 💿 manish.patel@jainishindustries.com
- www.jainishindustries.com

## **Toxicological Information**

When used according to manufactures intent and specifications, this product will not cause any adverse toxicological effects.

IARC	Not Listed
NTP	Not Listed
OSHA	Not Listed

## **Ecological Information**

Environmental Data: May cause adverse environmental impact if material reaches ground water systems, surface waterways or public sewage systems.

## **Disposal Considerations**

Product	Recommendation: Must be specially treated under adherence to official regulations
Uncleaned packaging	Recommendation: Disposal must be made according to official regulations.

## **Transport Information**

Land transport ADR/RID Designation of Goods Correct Technical Name

## **Regulatory Information**

This product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials (GefStoffV).

This product is not considered to be a hazardous substance under the OSHA Hazard Communication Standard, 29 CFR 1910.1200

## **Other Information**

The information of this Material Safety Data Sheet (MSDS) is based on the present state of our knowledge and laws. The users' working conditions are beyond our knowledge and control. It is the responsibility of the user to take all the precautions. The information in this MSDS is not to be considered as a guarantee of the product's properties. Department issuing data specification sheet : Q.A. Office. Contact : Q.A. Manager